

2260d Translation Order Guide #1

Primary Directory Number Configuration – Tone Commander 2260d Console

1. Customer Name:	
2. Customer Contact:	
3. Service Address:	
4. Billing Telephone #:	
5. Area Code (NPA):	
6. Directory Number (DN):	
7. Long Distance Carrier (PIC):	
8. Maximum B Channels (BCHDN):	1
9. Bearer Capability	
BCDN:	SP & AU3
BCHCT:	2-VI & 0-CMD & 0-PMD
IBCHCT:	2-VI & 0-CMD & 0-PMD
OBCHCT:	2-VI & 0-CMD & 0-PMD
CT:	VI
10. Terminal Limit (TERMLIM):	2
Other Associated Terminal DN:	
11. Terminal Class of Service (TSPCOS):	ICHD & NOTIFY & EKTS & CACH & BRGCE & DN3PBRG
12. Centrex Class of Service (CXSCOS):	CT
13. Feature Activators (FA):	58-DPN 60-TWC 62-DLPA 55-CALLPARK 56-CALLRTRV
Feature Indicators (FI):	58-DPN 60-TWC 55-CALLPARK 56-CALLRTRV

Customer Group Configuration

14. Customer Group Number (CSTMGRP):	
15. Customer Group Type (TYPE):	EKTS
16. EKTS Timer Value (EKTST1):	18

Directory Number Configuration

17. Call Type (CT):	VI
18. Class of Service (COS):	EKTS & ICND & NOICCNTN & RND
19. Call Diversion (DIV):	CFV & UPCFVDN & NOCFIND & NORRNG & CCNOAREQ
20. Category (CAT):	EKTS
21. Customer Group Number (CSTMGRP):	<i>reference Customer Group Number in item 14 above</i>
22. Traffic Restrictions (TRARSTR):	CARDT7 & CARDT8

Directory Number Call Appearance Assignments

Directory Number (DN)	Call Appearance Assignment (DNCA)	Features (FA/FI)	Call Forward Authorize (AUTH)	Alerting Pattern (ALERTPAT)
23.	1-1 & 2-2 & 3-3 & 4-4 & 5-5 & 6-6 & 7-7 & 8-8	57-CFV	UPCFVDN	NORMAL
24.				
25.				
26.				
27.				

Tone Commander 2260d Installation Instructions

Siemens
National ISDN

2260d Translation Order Guide #2

Primary Directory Number Configuration – Tone Commander 2260d Console, DSS Keys

1. Customer Name:	
2. Customer Contact:	
3. Service Address:	
4. Billing Telephone #:	
5. Area Code (NPA):	
6. Directory Number (DN):	
7. Long Distance Carrier (PIC):	
8. Maximum B Channels (BCHDN):	1
9. Bearer Capability	
BCDN:	SP & AU3
BCHCT:	1-VI & 0-CMD & 0-PMD
IBCHCT:	1-VI & 0-CMD & 0-PMD
OBCHCT:	1-VI & 0-CMD & 0-PMD
CT:	VI
10. Terminal Limit (TERMLIM):	2
Other Associated Terminal DN:	
11. Terminal Class of Service (TSPCOS):	ICHD & NOTIFY & EKTS & CACH & BRGCE
12. Centrex Class of Service (CXSCOS):	
13. Feature Activators (FA):	
Feature Indicators (FI):	

Customer Group Configuration

14. Customer Group Number (CSTMGRP):	
15. Customer Group Type (TYPE):	EKTS
16. EKTS Timer Value (EKTST1):	18

Directory Number Configuration

17. Call Type (CT):	VI
18. Category (CAT):	EKTS
19. Class of Service (COS):	EKTS & ICND & NOICCNTN & RND
20. Call Diversion (DIV):	
21. Customer Group Number (CSTMGRP):	<i>reference Customer Group Number in item 14 above</i>

Directory Number Call Appearance Assignments

See the 2260d Translation Order Guide #3.

2260d Translation Order Guide #3

Shared Call Appearance Assignments – Tone Commander 2260d Console, DSS Keys

PDN for DSS keys: _____

DSS Key	Directory Number	DNCA	Alerting Pattern
1		1-1	NORMAL
2		2-1	NORMAL
3		3-1	NORMAL
4		4-1	NORMAL
5		5-1	NORMAL
6		6-1	NORMAL
7		7-1	NORMAL
8		8-1	NORMAL
9		9-1	NORMAL
10		10-1	NORMAL
11		11-1	NORMAL
12		12-1	NORMAL
13		13-1	NORMAL
14		14-1	NORMAL
15		15-1	NORMAL
16		16-1	NORMAL
17		17-1	NORMAL
18		18-1	NORMAL
19		19-1	NORMAL
20		20-1	NORMAL
21		21-1	NORMAL
22		22-1	NORMAL
23		23-1	NORMAL
24		24-1	NORMAL
25		25-1	NORMAL
26		26-1	NORMAL
27		27-1	NORMAL
28		28-1	NORMAL
29		29-1	NORMAL
30		30-1	NORMAL

DSS Key	Directory Number	DNCA	Alerting Pattern
31		31-1	NORMAL
32		32-1	NORMAL
33		33-1	NORMAL
34		34-1	NORMAL
35		35-1	NORMAL
36		36-1	NORMAL
37		37-1	NORMAL
38		38-1	NORMAL
39		39-1	NORMAL
40		40-1	NORMAL
41		41-1	NORMAL
42		42-1	NORMAL
43		43-1	NORMAL
44		44-1	NORMAL
45		45-1	NORMAL
46		46-1	NORMAL
47		47-1	NORMAL
48		48-1	NORMAL
49		49-1	NORMAL
50		50-1	NORMAL
51		51-1	NORMAL
52		52-1	NORMAL
53		53-1	NORMAL
54		54-1	NORMAL
55		55-1	NORMAL
56		56-1	NORMAL
57		57-1	NORMAL
58		58-1	NORMAL
59		59-1	NORMAL
60		60-1	NORMAL

